



PlastCoat Render & Texture Systems

SCREW DRIVEN MACHINES FOR AGGREGATE PRODUCTS

- The PlastCoat units are suitable for a variety of applications, such as thermal insulation, textured plaster and paint, acrylic based renders, smoothing and structuring, waterproofing, concrete repair and much more, and will ensure a uniform coating quality.
- Screw pumps use a displacement worm drive mechanism to deliver the material through the rotor and the stator.
- The PlastCoat range is exceptionally durable and low maintenance.

PlastCoat HP 30

- Robust high pressure screw pump with airless technology for spraying high-viscosity paints and fillers (0.3mm)
- Compact, mobile and lightweight.
- Robust – ideal for demanding construction site use.
- With maximum pressure of 1740 psi combined with HEA tip, you can also spray water-based paints.

COMPATIBLE
HEA HIGH EFFICIENCY
 AIRLESS.

OPTIONAL ACCESSORIES

- HEA Airless Spray Kit - sold separately
- Rotor & Stator Kit - sold separately



WAGNER
 GUARANTEE
3+2
 EXTRA 2 YEARS

INCLUSIONS

PlastCoat HP30	2388301
HP30 with 50 litre Hopper	
AG-19 HD Gun	2341127
10m x 19mm Hose	2390763
443 TradeTip 3	0553443
PlastGuard Pump Protector	2399959

PlastMix 15 Mixer

- High performance drive motor with direct transmission and high torque ensures optimal start-up even with a full hopper.
- Height adjustable from 95cm to 116cm.
- Available in four variants; with steel or PUR mixing tube, and with or without booster pump.
- Suitable for cement-based, dry bags render, texture & fire retardant coatings.

**THE PERFECT ADDITION TO YOUR
 PC1030 FOR CONTINUOUS FLOW
 OF PRODUCT**



WAGNER
 GUARANTEE
3+2
 EXTRA 2 YEARS

INCLUSIONS

PlastMix 15 Mixer	2348669
--------------------------	---------

PlastCoat PC1030 SprayPack

Ultra portable and compact system for spraying interior/exterior acrylic texture, cement based render and plaster filler up to 6mm grain size.

The PC1030 SprayPack is setup for acrylic products and comes with 8mm nozzle. A texture nozzle set (4, 6, 8, 10mm) is available to purchase separately.

- No maintenance brushless motor that plugs into any 240V power source. (15amp with 10 amp adaptor)
- Polypropylene hopper for easy cleaning, with a capacity of up to 50 litres.
- Easy 2-person lift, small enough to be loaded into a van or ute.
- Perfectly equipped for all construction sites with big, pneumatic tyres ensure full mobility, with locking function for safety.
- Ergonomic spray lance can be fully customised with a range of accessories.
- Automatic stator extraction.



Stator
0348315

Rotor
0348316

INCLUSIONS

PlastCoat PC1030 SprayPack	2361588
PC1030 with 50 litre Hopper	
Automatic Spray Injection Lance with 8mm Nozzle	2334115
Toolbox	
2x 25mm Cleaning Balls	SprayPack Included
Silicon Spray Cleaning Kit	

OPTIONAL ACCESSORIES

- Extra PC1030 Rotor or Stator - sold separately
- 80cm Extension Lance - sold separately
- Render Lance (with 14mm Nozzle) - sold separately

240V System

No maintenance brushless motor that plugs into any 240V power source

Perfectly equipped for all construction sites

Big, pneumatic tyres ensure full mobility, with locking function for safety.

Ergonomic spray lance

Can be fully customised with a range of accessories.



50L Hopper

Polypropylene hopper for easy cleaning

Compact & portable

Easy 2-person lift, small enough to be loaded into a medium sized wagon.

Automatic stator extraction

Quick assembly & easy cleaning.

PLASTCOAT HP 30



COMPATIBLE
HEA HIGH EFFICIENCY
A T R I E S S

PLASTCOAT PC1030 SPRAYPACK



PLASTMIX 15 MIXER



MATERIAL	PROJECT SIZE	PC1030	HP 30
Fire retardant, corrosion protection, adhesives	Up to 800m ²	✓	
	More than 800m ²	✓	✓
Fillers, concrete coatings	Up to 800m ²	✓	
	More than 800m ²	✓	
Structural waterproofing, bituminous coatings	Up to 800m ²	✓	
	More than 800m ²	✓	✓
Plaster, concrete, contact primer	Up to 800m ²	✓	
	More than 800m ²	✓	
Mineral render, thermal insulation, adhesives/fillers	Up to 800m ²	✓	
	More than 800m ²	✓	
Ultra high build coatings, including coatings with grain size up to 0.3mm	Up to 800m ²		
	More than 800m ²		✓

TECHNICAL DATA

	PC1030 SprayPack	HP 30
Part Number:	2361588	2388301
Motor Rating:	2.2 kW/ 2.9 HP	2.3 kW/ 3.0 HP
Max. Delivery Radius	50 m	22.5 m
Max. Grain Size	6 mm	0.3mm (fillers)
Gun:	Auto Spray Lance	AG-19 HD
Hose Length:	10 m	10 m
Max. Operating Pressure:	580 psi	1740 psi
Max. Flow Rate:	15 L/min	10 kg/min
Weight:	59kg	72kg