



PlastCoat Render & Texture Systems

SCREW DRIVEN MACHINES FOR AGGREGATE PRODUCTS

- The PlastCoat units are suitable for a variety of applications, such as thermal insulation, textured plaster and paint, acrylic based renders, smoothing and structuring, waterproofing, concrete repair and much more, and will ensure a uniform coating quality.
- Screw pumps use a displacement worm drive mechanism to deliver the material through the rotor and the stator.
- The PlastCoat range is exceptionally durable and low maintenance.

PlastCoat PC 1025 Pro

Rugged portable and compact rotar-stator pump for spraying thick roof coatings, fire protection & waterproof coatings, interior/exterior acrylic texture, cement based render and plaster filler up to 6mm grain size.

- No maintenance brushless motor that plugs into any 240V power source. (15 Amp)
- Protection against voltage fluctuations through control box.
- Polypropylene hopper with capacity of up to 50 litres.
- Stator can be easily removed without additional tools.
- Automatic pressure relief (4 sec) to ensure safety and prevent spitting of material after opening the spray lance. After closing the spray lance the machine runs in reverse mode for around 4 seconds
- Pneumatic control via 3 switch function.

**VARIABLE
DELIVERY RATE
ROTOR-STATOR
AVAILABLE
UP TO 20L/MIN**

STATOR TYPE	STATOR COLOR	MAX. DEL RATE	PART NO. ROTOR	PART NO. STATOR
D 6-2.5	Black	7.5 l/min	0348312	0348311
D 6-3	Yellow	10 l/min	0348316	0348315
D 7-2	Brown	15 l/min	0348926	0348925
D 8-1.5	Green	20 l/min	2385520	2385532

Note: For PC1030/1025 models

INCLUSIONS

PlastCoat PC1025 Pro 2416348

PC1025 Pro with 50 litre Hopper

DN25 - 10m mortar hose (with air hose) 2396956

Spray Lance (inc. 6mm texture tip) 2416635

Tool bag including cleaning balls, rotor, 10 litre/min rotor and stator (other sizes available) & operating manual Included



PlastCoat PC 1030 SprayPack

Ultra portable and compact system for spraying interior/exterior acrylic texture, cement based render and plaster filler up to 6mm grain size.

The PC 1030 SprayPack is setup for acrylic products and comes with 8mm nozzle. A texture nozzle set (4, 6, 8, 10mm) is available to purchase separately.

- No maintenance brushless motor that plugs into any 240V power source. (15Amp)
- Polypropylene hopper for easy cleaning, with a capacity of up to 50 litres.
- Easy 2-person lift, small enough to be loaded into a van or ute.
- Perfectly equipped for all construction sites with big, pneumatic tyres ensure full mobility, with locking function for safety.
- Ergonomic spray lance can be fully customised with a range of accessories.
- Automatic stator extraction.



OPTIONAL ACCESSORIES

- Extra PC 1030 Rotor or Stator - sold separately
- 80cm Extension Lance - sold separately
- Render Lance (with 14mm Nozzle) - sold separately

Stator
0348315



Rotor
0348316



INCLUSIONS

PlastCoat PC1030 SprayPack 2361588

PC1030 with 50 litre Hopper

Automatic Spray Injection Lance with 8mm Nozzle 2334115

Toolbox
2x 25mm Cleaning Balls
Silicon Spray
Cleaning Kit
SprayPack Included
Yellow Rotor & Stator (10l/min) - other sizes available

PlastCoat HP 30

- Robust high pressure screw pump with airless technology for spraying high-viscosity paints and fillers (0.3mm)
- Compact, mobile and lightweight.
- Robust – ideal for demanding construction site use.
- With maximum pressure of 1740 psi combined with HEA tip, you can also spray water-based paints.

COMPATIBLE

HEA HIGH EFFICIENCY
AIRLESS

OPTIONAL ACCESSORIES

- HEA Airless Spray Kit
- sold separately
- Rotor & Stator Kit
- sold separately

INCLUSIONS

PlastCoat HP 30	2388301
HP 30 with 50 litre Hopper	
AG 19 HD Gun	2341127
Rotor & Stator set	2395996
10m x 19mm Hose	2390763
443 TradeTip 3	0553443
PlastGuard Pump Protector	2399959



PlastMix 15 Mixer

- High performance drive motor with direct transmission and high torque ensures optimal start-up even with a full hopper.
- Height adjustable from 95cm to 116cm.
- Available in four variants; with steel or PUR mixing tube, and with or without booster pump.
- Suitable for cement-based, dry bag render, texture & fire retardant coatings.

**THE PERFECT ADDITION TO YOUR
PC 1030 FOR CONTINUOUS FLOW
OF PRODUCT**



INCLUSIONS

PlastMix 15 Mixer

2348669

240V System

No maintenance brushless motor that plugs into any 240V power source (15 Amp) with adaptor

Perfectly equipped for all construction sites

Big, pneumatic tyres ensure full mobility, with locking function for safety.

DN25; 15m hose

Use up to 40m of hose with large working radius

50L Hopper

Polypropylene hopper for easy cleaning and can handle up to 20 l/min output

Compact & portability

Easy to transport and high maneuverability

Pneumatic Spray Lance

70° angled lance with swivel joint

PLASTCOAT PC 1025 PRO



PLASTCOAT PC 1030 SPRAYPACK



PLASTCOAT HP 30



PLASTMIX 15 MIXER



MATERIAL	PROJECT SIZE	PC1025	PC1030	HP 30
Fire retardent, corrosion protection, adhesives	Up to 800m2	✓	✓	
	More than 800m2	✓	✓	✓
Fillers, concrete coatings	Up to 800m2	✓	✓	
	More than 800m2	✓	✓	
Structural waterproofing, bituminous coatings	Up to 800m2	✓	✓	
	More than 800m2	✓	✓	✓
Plaster, concrete, contact primer	Up to 800m2	✓	✓	
	More than 800m2	✓	✓	
Mineral render, thermal insulation, adhesives/fillers	Up to 800m2	✓	✓	✓
	More than 800m2	✓	✓	✓
Ultra high build coatings, including coatings with grain size up to 0.3mm	Up to 800m2			
	More than 800m2			✓

TECHNICAL DATA

	PC1025 PRO	PC1030	HP 30
Part Number:	2416348	2361588	2388301
Motor Rating:	2.3 kW/ 3.0 HP	2.2 kW/ 2.9 HP	2.3 kW/ 3.0 HP
Max. Delivery Radius	40m	50 m	22.5 m
Max. Grain Size	6mm	6 mm	0.3mm (fillers)
Gun:	Pneumatic Lance	Auto Spray Lance	AG 19 HD
Hose Length:	15m	10 m	10 m
Max. Operating Pressure:	580psi	580 psi	1740 psi
Max. Flow Rate:	Up to 20 L/min	Up to 20 L/min	10 kg/min
Weight:	60kg	59kg	72kg