



# SPRAYING **RED**EFINED





# THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

# **4-Year Manufacturer's Defect**

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

# Lifetime DuraLife Brushless HE and PMDC Brushless Motor Warranty

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

# **Limited Lifetime DCX Motor Warranty**

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

# **Petrol Engine Warranty**

3-year Honda® and 2-years all others.

# **2-Year Turbine Warranty**

# Lifetime\* Drive Train Warranty

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

# Lifetime Warranty on PermaStroke<sup>™</sup> Technology Fluid Pump

Get a lifetime warranty on the PermaStroke Technology fluid pump. If the fluid pump fails for any reason (including wear) for as long as you own the sprayer, we will replace the fluid pump at no cost.



POWRLINER<sup>™</sup> SERIES

The sprayers of choice for everyone from serious contractors to entry level contractors and property managers.

LAZYLINER SERIES

Take a load off and increase productivity up to four times. An economical way to grow your business.

# STRIPING ACCESSORIES

Make your striper more effective with hard working accessories from Titan.

# STRIPING TIPS

Stock up on the industry's longest lasting striping tip in the market. Spray razor sharp lines and increase profits along the way.

# SPRAYER SPECIFICATIONS

Compare Titan's PowrLiner series and make sure you get the perfect striper for your needs whatever they may be.

# **OUR MISSION**

When your business depends on the tools you use, you need to be able to count on the people who make them.

Our relentless commitment to helping every professional painter be their best leads to better work, improved ROI and growing business.

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change.

# CLUTCH DRIVEN SERIES

Titan offers line stripers that utilize clutch-driven machines that are perfect for entry level projects.

**Clutch-Driven Line Stripers** 

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.

Titan's clutch-driven PowrLiners are a perfect entry level striper for smaller and medium-sized striping projects.

#### **DURABLE FLUID SECTION**

- Patented, one-piece modular pump housing design makes routine service quick and easy – lasts up to 30% longer than competitive line stripers
- One-piece, self-adjusting static packings with 5 lip wiper last up to 50% longer; lifetime cylinder warranty means you spray more and worry less
- Exclusive fluid section design requires no cylinder; fewer wear parts reduces maintenance cost
- Access and clean the ball valves without damaging packings or removing fluid section
- Stainless steel rotating ball valves keep debris from sticking to minimize downtime and maximize performance
- Reversible inlet and outlet seats last twice as long as standard seats

#### **RELIABLE PETROL ENGINE**

- Proven engine technology
- Quiet operation
- Easy starting







# PowrLiner 850

The PowrLiner 850 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf. It is easy to use, easy to transport and easy to store. The 850 only requires one operator to transport and each fits easily in most automobile trunks. Perfect for any organisation or municipal budget.

	PowrLiner 850
SPECIFICATIONS	
Max. Delivery	1.25 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.021"
Max. Tip Size - 1-Gun (Airless Painting)	0.017"
Max. Operating Pressure	3000 PSI
Weight	29.5 kg.
Engine - Petrol	37.7cc 4-Stroke Engine
	PART NO.
	T/0290005A



PowrLiner<sup>™</sup> 850 include LX-40 spray gun with in-handle filter and premium TR<sup>1</sup> line striping tip.

# CLUTCH DRIVEN POWRLINER 850

### 1.25 L/MIN

Recommended for light, periodic-duty on small parking lots and athletic fields.

### Features:

**Lightweight Design** Makes basic stenciling easy and fast.

Folding Handle Makes storage and transportation easy.

Holds 5-Gallon Paint Pail Pail not included.

**2-Year Warranty** Against manufacturer defects.

### Additional Features

DirectLink<sup>™</sup> Pressure Control Adjusts from 100–3000 PSI.

Auto0iler<sup>™</sup>

**Reversible Gun Mount** Stripe off either front or rear tire.

**Removable Gun** For full stenciling capability.

**No Flat Tires** Specially formulated poly for a smooth ride and durability.

Adjustable Front Wheel Straight lock or free wheel caster.

# Available Upgrades:

Front Wheel Release Kit 0293970

Release the front wheel from lock position to unlocked with the pull of a lever.

# **HYDRAULIC** DRIVEN **STRIPERS**

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.



#### Speeflo<sup>®</sup> HydraDrive<sup>™</sup>

- Reliable, smooth, slow-stroking hydraulic drive greatly extends the operational life of the sprayer
- External-hydraulic fluid porting with NEW, upgraded fittings allows for guick troubleshooting and simplified maintenance
- SAE o-ring fitting and precision rod D alignment ensure maximum pump life



in a state

#### Severe Service<sup>™</sup> 900 Pump

- Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life up to 150% longer than competitive pumps
- Self-adjusting packings prevent over-tightening and help prevent premature wear
- ► Foot valve removes easily for faster cleaning and easy maintenance
- Reversible inlet and outlet seats have twice the lifespan of ordinary outlet seats and extra large ball valves ensure efficient pump operation and longer unit life
- Heavy-duty prime/spray valve ensures consistent, increased flow and faster pump priming



#### **PowrCenter**<sup>™</sup> Designed with convenient and easy-to-use controls with features like tip holder, phone charging port and cup holder.

Phone, charger and cup not included.



**DeadLock Handlebars** Easily adjust handlebars on three planes; in and out, up and down and pivot forward or back.

Available on PowrLiner 4955, 6955, and 8955 only.

DASHBOARD Convenient features include tip holder and cup holder LITHIUM-ION BATTERY Removable and quickly rechargeable FLATLINE PULSATION DAMPENER Eliminates pressure fluctuations to avoid hour glassing

#### SWING BACK DESIGN

Increases operator leverage and reduces fatigue

#### HEAVY-DUTY FRAME

Resists harsh chemicals and corrosion

#### Powered by HONDA eGX MOTOR

Designed to closely meet the performance output of a conventional GX120 petrol engine.

#### 

Increases portability and makes traveling over rough surfaces easier

**HONDA eGX MOTOR** 

• Brushless DC motor is

reliable and durable

• Extremely quiet performance

lets you extend work hours

compared to petrol-powered

units for ultra smooth lines

Greatly reduces vibration

RX-80 GUN WITH H LINE STRIPING TIP

NO-SPILL PUMP FILTER Vertical design retains coating during removal






#### LITHIUM-ION BATTERY PACK

- Removable battery means no plugging the sprayer into an outlet
- Swappable battery means no down time in the field (second battery sold separately)
- Less than one hour recharge time

	PowrLiner 3500	PowrLiner 3500 72V
SPECIFICATIONS		
Max. Delivery	2.8 L/MIN	2.8 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.027"	0.027"
Max. Operating Pressure	3300 PSI	3300 PSI
Weight	87kg	91kg
Motor	Honda GX120 - 120 CC	eGX Motor 72V
Pump	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic
	PART NO.	PART NO.
	T/0537015	T/2445730B

Powered by HONDA BATTERY POWER, PETROL PERFORMANCE



# HYDRAULIC POWRLINER<sup>™</sup> 3500 72V

### 2.8 L/MIN

Recommended for medium-sized projects on all parking lots and athletic fields.

# Features:

#### **Removable 72V Battery**

Swap between the petrol engine to an eGX on the same frame

#### PermaStroke<sup>™</sup> Technology

Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

Sealed Hydraulic System

No electronics or clutches to burn out

Sureflo<sup>™</sup> Pusher Valve Makes priming easy

#### FlatLine Pulsation Dampener<sup>™</sup>

Eliminates pressure fluctuations and deadband in the system

**Removable Gun** For full stenciling capability.

**No-Spill Pump Filter** Holds coating in the housing when removing.

#### Large 16" Pneumatic Tires

For increased portability over rough surfaces


**New Swing Back Design** 

**Elite Lifetime Warranty** On the hydraulic fluid pump.




Includes RX-80 gun, 1/4" x 50' hose, 419 TR<sup>1</sup> line striping tip and 517 TR<sup>1</sup> tip.





- Brushless DC motor is reliable and durable
- Extremely quiet performance lets you extend work hours
- Greatly reduces vibration compared to petrol-powered units for ultra smooth lines

	PowrLiner 5500
SPECIFICATIONS	
Max. Delivery	4.7 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.035"
Max. Operating Pressure	3300 PSI
Weight	103kg
Motor	Honda GX120 - 120 CC
Pump	Clutchless Sealed Hydraulic
	PART NO.
	T/2468797



# HYDRAULIC POWRLINER™ 5500

#### 4.7 L/MIN

Recommended for medium-sized projects on all car parks and athletic fields.

# Features:

#### PermaStroke<sup>™</sup> Technology

Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

#### **Sealed Hydraulic System**

No electronics or clutches to burn out

Sureflo<sup>™</sup> Pusher Valve Makes priming easy

#### FlatLine Pulsation Dampener™

Eliminates pressure fluctuations and deadband in the system

**Removable Gun** For full stenciling capability.

**No-Spill Pump Filter** Holds coating in the housing when removing.

#### Large 16" Pneumatic Tires

For increased portability over rough surfaces

#### **New Swing Back Design**

**Elite Lifetime Warranty** On the hydraulic fluid pump.



Includes RX-80 gun, 1/4" x 50' hose, 419 TR<sup>1</sup> line striping tip and 517 TR<sup>1</sup> tip.

# HYDRAULIC POWRLINER™ 4955

#### 4.7 L/MIN

Recommended for full-time duty on parking lots and athletic fields.

### Features:

#### SmartArm™

Can be positioned to spray on left, right, front or rear of striper.

#### **Precise Pressure Control**

From 400 to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.

#### **Heavy-Duty Frame**

Epoxy-finished frame resists harsh solvents and corrosion.

#### Second Gun Kit

Complete with S-3 gun, hose and tip kit for wider or dual lines.

#### **45 Litre Paint Hopper**

Pneumatic Tires For shock absorption.

#### **Convenient Hose Rack**

Keeps hose conveniently stored on the rear of the striper.

# **Electric Convertibility**



**2.0 HP Electric Converto Kit** T/506-719

Easy, tool-free convertibility from Petrolpower to electric power for projects where petrol engines are not permitted. For use only with PowrLiner 4950, 4955 and all XLT units.






# PowrLiner 4955

Designed and built for contractors who are serious about completing medium to large scale striping projects quickly and profitably. PowrLiner 4955 is the first step in hydraulic stripers where power and long-term, heavy duty operation are the difference between a business that makes money and one that does not.





SmartArm<sup>™</sup> Built to pivot and lift, making line adjustments and transportation quick and easy.



#### WEAR GUARD

# PowrLiner 6955/8955

Larger projects require more power and output. PowrLiner 6955 and 8955 line stripers are the workhorse machines of the industry, designed for ease of use and simple operation on major projects that require maximum performance with minimum downtime and maintenance.

	PowrLiner 4955	PowrLiner 6955	PowrLiner 8955
SPECIFICATIONS			
Max. Delivery - Petrol	4.7 L/MIN	7.95 L/MIN	9.5 L/MIN
Max. Tip Size - 1-Gun	0.034"	0.047"	0.054"
Max. Tip Size - 2-Guns	0.025"	0.031"	0.038"
Max. Operating Pressure	3300 PSI	3300 PSI	3300 PSI
Engine - Petrol	Honda® GX120 with Pull Start	Honda® GX160 with Electric Start and Low Oil Alert	Honda® GX200 with Electric Start and Low Oil Alert
	PART NO.	PART NO.	PART NO.
	T/0290052H	T/0290053H	T/0290054H

# HYDRAULIC POWRLINER 6955/8955

#### 4.7/7.95 L/MIN

Recommended for large scale, full-time duty on airports, roads, parking lots and athletic fields.

# Features:

#### SmartArm<sup>™</sup>

Can be positioned to spray on left, right, front or rear of striper.

#### **Precise Pressure Control**

From 400 to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.

#### **Heavy-Duty Frame**

Epoxy-finished frame resists harsh solvents and corrosion.

#### Second Gun Kit

Complete with S-3 gun, hose and tip kit for wider or dual lines.

#### **45 Litre Paint Hopper**

Pneumatic Tires

Highway-rated bearings on wheels.

#### **Convenient Hose Rack**

Keeps hose conveniently stored on the rear of the striper.

### Additional Features:

#### **Electric Start**

**12v Auxiliary Charging Port** 

#### Low Oil Alert



All PowrLiner 55 series include S-3 Stainless Steel spray gun with premium TR<sup>1</sup> line striping tip.

# LAZYLINER SERIES

Take a load off and increase productivity up to four times. An economical way to grow your business.



# LazyLiner Elite T/0290040ZC

- 200-Watt lamp coil charging system
- Engine protection bumper bar
- Heavy-duty pneumatic tires (16" x 6.5")
- Multi-position seat (forward/back, side to side)
- Height adjustable foot pedals
- Compatible with PowrLiner<sup>™</sup> 3500–8955
- ▶ Hitch Required (see hitch chart on page 13)

	ELITE
SPECIFICATIONS	
Engine - Petrol	Honda <sup>®</sup> GX200 Motor
Start	Pull
Speed - Forward	0–19 KM/H
Speed - Reverse	0–11 KM/H

LazyLiner tray, hitches and bumpers are sold separately. See page 13 for details.

# HARD WORKING LINE STRIPER ACCESSORIES

# Stencil Kits

4" (10 cm) Visitors

Molded of 1/8" (.15 cm) polyethylene, these stencils are very durable and lay flat on surfaces for clean and accurate marking.

STENCIL KIT 1	
INCLUDES	PART NO.
39" (99 cm) Handicap	T/0290932
STENCIL KIT 2	
INCLUDES	PART NO.
39" (99 cm) Handicap	T/0290933
12" (30 cm) No Parking	
12" (30 cm) Numbers 0–9	
STENCIL KIT 3	
INCLUDES	PART NO.
42" (105 cm) Straight and Curved Arrows	T/0290934
39" (99 cm) Handicap	
12" (30 cm) Numbers 0–9	
4", 12" (10, 30 cm) No Parking	
4", 12" (10, 30 cm) Fire Lane	
4" (10 cm) Reserved	



# WindGuard<sup>™</sup> Spray Shield T/0290623

Spray shield protects spray pattern from wind, minimizing overspray. Works well when applying diluted athletic field marking paints. Adjustable for easy "on the fly" line width changes – 4", 6" or 8" and is easily removed from sprayer.

- Attaches to any Titan PowrLiner and most competitive models
- Spring loaded shields promote forgiveness on uneven surfaces
- Lightweight only 2.5 kg.

# HandiBead<sup>™</sup> Bead Dispenser T/0290953A

Apply glass beads with consistency and accuracy. Eliminates hand tossing glass beads on stop bar or crosswalk applications.

 Adjustable diffuser can disperse material up to 15" wide



### LineSite<sup>™</sup> Laser Pointer T/0290175A

Great for start/stops, curb striping, executing perfectly straight lines and training new employees. High intensity green laser is easy to see in daylight.

# Second Gun Kit

Comes complete with mounting bracket, airless gun, 6' x 1/4 " hose and line striping tip. Mounts to 4950, 6950 and 8950 PowrLiner.

DESCRIPTION	PART NO.
S-3 Gun Kit	T/759-138
S-5 Gun Kit	T/759-038
PowrLiner 2850 Gun Kit	T/0290310





LineSite<sup>™</sup> Laser Pointer

Second Gun Kit

# Glass Bead Dispensing Systems

Includes hopper, hose and dispenser.

DESCRIPTION	PART NO.
1-Gun Kit (4–6")	T/424-826
2-Gun Kit (4–6")	T/424-836
Add a Second Dispenser to your 1-Gun Kit Second Dispenser with Hose (4–6")	T/424-816

Compatible with: 4950, 4955, 6950, 6955, 8950, 8955, 4900XLT, 6900XLT and 8900XLT. LazyLiner\* and PowrLiner\* sold separately.





SureTrak<sup>™</sup> Floating Gun Kit

LazyLiner™ Tray

# SureTrak<sup>™</sup> Floating Gun Kit T/759-120

Keeps the gun at the proper height from the surface for perfect lines over rough terrain.

- Works great on pavement, grass and turf
- ▶ Attaches to PowrLiner<sup>™</sup> 4950, 4955, 6950, 6955, 8950 and 8955

# LazyLiner Tray

Use this attachable tray system as an option for carrying around additional items.

For use on the LazyLiner Pro and Elite

DESCRIPTION	PART NO.
LazyLiner Elite Tray	T/0290645Z





SmartArm<sup>™</sup> Pivot System

SmartArm<sup>™</sup> Lift System

### SmartArm<sup>™</sup> Assembly 0290382

Built to make line adjustments and transportation quick and easy.

- Pivots down for spraying and up for transportation/storage
- Locks in at any angle for curb striping
- Adjust gun height (fan pattern) up/down with the turn of a lever
- Automatically centers spray arm for easy set-up
- Graduated to return to your preferred spray position

# Striper Add-On Accessories

RECOMMENDED GUNS		
DESCRIPTION	PART NO.	
LX-40 Gun	T/550-540	
RX-80 Gun	T/0538015	
S-3 Gun	T/0550060	
S-5 Gun	T/0550070	

UPGRADES	
DESCRIPTION	PART NO.
PowrLiner <sup>™</sup> 850 Caster Release Kit	T/0293970
45 Litre Hopper	T/0555910
Polyethylene 5-Gallon Pail Cover	T/759-147
Turf Kit for PowrLiners 4955–8955	T/759-155

# Hitches and Bumpers

	ELITE
DESCRIPTION	PART NO.
Hitch Kit 3500, 3500 72V, 4500	T/0537395
Hitch Kit 495X, 695X, 895X	T/2430599

Pre-Drilled Axle 4900 XLT, 6900 XLT, 8900 XLT XLT units require axle with pre-drilled holes AND T/0290489A hitch kit (2430599 + 0290489A)

Bumper / Engine Protection Bar Included

The drivers are not shipped with a hitch; use chart to identify which hitch to order. \*Must order both the hitch and bracket for the PowrLiner 3500

# **AIRLESS TIP TECHNOLOGY**

# ENGINEERED SPECIFICALLY FOR PERFECT LINES

Titan's TR<sup>1</sup> line striping tips are built to provide the performance to exceed contractor expectations and increase profit.

#### The Industry's Best Performing Fan Pattern

- Sprays razor sharp lines
- Consistent line width from the first gallon to the last

#### Longest Lasting Striping Tip in the Market

- Uniform film build for the life of the tip
- Less wasted paint equals more profit


#### **New Easy-to-Read Tip Sizes**

▶ 421 = 4" stripe (6" from the surface) with a 0.021" orifice

#### Line Striping Tips w/0557XXX / T/697-XXX

			ORIFICE SIZE (INCHES)												
E	INCHES	MM	0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.029	0.031	0.035	0.039	0.043
<u>d</u> M		51	213	215	217	219									
ERN	4	102	413	415	417	419	421	423	425	427	429	431	435	439	443
PAT	6	152		615	617	619	621	623	625	627	629	631	635	639	643
FAN	8-10	203-254					821	823	825	827	829	831	835	839	843

Maximum Working Pressure: 5000 PSI







# **SPECIFICATIONS**

	-		- 4					
		<b>~~</b> _^^			At a	and the second	The second	
					Ser.		Set 5	
	PowrLiner 850	PowrLiner 3500 72V	PowrLiner 3500	PowrLiner 5500	PowrLiner 4955	PowrLiner 6955	PowrLiner 8955	
Part Number - 1-Gun	T/0290005	T/2445730B	T/0537015					
Part Number - 2-Gun				T/2468797	T/0290052H	T/0290053H	T/0290054H	
Max Delivery - Petrol	1.25 L/MIN		2.8 L/MIN	4.7 L/MIN	4.73 L/MIN	7.95 L/MIN	9.5 L/MIN	
Max Delivery - Electric		2.8 L/MIN						
Max Tip Size, 1-Gun - Petrol	0.021" (0.017" Airless)	0.027"	0.027"	0.036"	0.033"	0.047"	0.054"	
Max Tip Size, 2-Guns - Petrol				0.025"	0.025"	0.031"	0.038"	
Max. Operating Pressure PSI)	3000	3300	3300	3300	3300	3300	3300	
Electric Motor		Honda eGX 72V						
Max. Hose Length	15.2 m	91.4 m	91.4 m	91.4M	91.4 m	91.4 m	91.4 m	
Max. Spraying Speed*	32.3 m per minute	121 m per minute	121 m per minute	121 m per minute	155 m per minute	210 m per minute	229 m per minute	
Power Source	37.7cc 4-Stroke Engine	Honda® eGX 72V Battery	Honda® GX120 with Low Oil Alert and Pull Start	Honda GX160 with Low Oil Alert	Honda GX120 with Low Oil Alert and Pull Start	Honda GX160 with Electric Start and Low Oil Alert	Honda GX200 with Electric Sta and Low Oil Aler	
Pump Drive	Clutch Driven	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	
ine Width Range	2-12" (5-30.5 cm)	2-24" (5-60 cm)	2-24" (5-60 cm)	2-24" (5-60 cm)	2-24" (5-60 cm)	2-24" (5-60 cm)	2–24" (5–60 cm	
Cycle Rate					23 per Litre	15 per Litre	11 per Litre	
Electrical System						12-Watts	12-Watts	
Paint Outlet - Filter Element	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	
Paint Outlet - Filter Area	19 cm <sup>2</sup>	116 cm <sup>2</sup>	116 cm <sup>2</sup>	116 cm <sup>2</sup>	116 cm <sup>2</sup>	116 cm <sup>2</sup>	116 cm <sup>2</sup>	
Weight	29.5 kg	91 kg (w/ Battery)	87 kg	103kg	149 kg	151.1 kg	153.8 kg	
Dimensions (H x W x L ) - Unit	97 x 74 x 107 cm	100.3 x 82.5 x 165 cm	100.3 x 82.5 x 165 cm	110 x 81.28 x 185cm	104 x 79 x 152 cm	104 x 79 x 152 cm	104 x 79 x 152 cn	
Dimensions (H x W x L) - Crated	66 x 66 x 116 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cn	
Gun Included	LX-40	RX-80	RX-80	RX-80	S-3	S-3	S-3	
TR <sup>1</sup> Line Striping Tip ncluded	417 (4" Line by 0.017" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	
Airless Hose Included	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	
Repair Kit - Pump	T/759-365	T/0537903	T/0537903	T/0537903	T/107-051	T/144-050	T/144-050	
Repair Kit - Gun					T/550-275	T/550-275	T/550-275	
Warranty	2-Years	4-Years	4-Years	4-Years	4-Years	4-Years	4-Years	

# 



INCLUDES AN **ELITE** LIFETIME WARRANTY ON THE HYDRAULIC FLUID PUMP **Four-Year Manufacturer's Defect\*** – We pledge that our sprayers are free from defects in materials and workmanship.

**Lifetime PermaStroke Technology** – If the fluid pumps fails for any reason, including wear, we will replace it at no cost.

**Honda eGX System** – Honda provides a 3 year warranty on their motors, batteries, and chargers.

\*Manufacturer's Defect Warranty excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc. PowrLiner 850 features 2 year manufacturer's defect warranty.

#### DISTRIBUTED BY:



#### WAGNER Spraytech Australia

8-10 Dansu Court, Hallam, VIC, 3803 **P** 1800 924 637 **F** 03 9580 9120 **E** info.aumb@wagner-group.com **www.wagneraustralia.com.au** 

#### PAINTWORX (NZ)

70 Lady Ruby Drive, East Tamaki, Auckland P 09 272 2840 F 0800FOR WAGNER E service@paintworx.co.nz