TITAN®

FIELD & PAVEMENT



SPRAYING **RED**EFINED

CLUTCH DRIVEN SERIES

Titan offers line stripers that utilize clutch-driven machines that are perfect for entry level projects.



Clutch-Driven Line Stripers

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.

Titan's clutch-driven PowrLiners are a perfect entry level striper for smaller and medium-sized striping projects.

DURABLE FLUID SECTION

- Patented, one-piece modular pump housing design makes routine service quick and easy – lasts up to 30% longer than competitive line stripers
- One-piece, self-adjusting static packings with 5 lip wiper last up to 50% longer; lifetime cylinder warranty means you spray more and worry less
- Exclusive fluid section design requires no cylinder; fewer wear parts reduces maintenance cost
- Access and clean the ball valves without damaging packings or removing fluid section
- Stainless steel rotating ball valves keep debris from sticking to minimize downtime and maximize performance
- Reversible inlet and outlet seats last twice as long as standard seats

RELIABLE PETROL ENGINE

- Proven engine technology
- Quiet operation
- Easy starting





CLUTCH DRIVEN

POWRLINER 855

1.25 L/MIN

Recommended for light, periodic-duty on small parking lots and athletic fields.

FOR WATER BASED PRODUCTS ONLY

Bucket not included.



PowrLiner 855

PowrLiner 855

The PowrLiner 855 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf. It is easy to use, easy to transport and easy to store. The 855 only requires one operator to transport and each fits easily in most automobile trunks. Perfect for any organisation or municipal budget.

	PowrLiner 855
PART NO.	2486324
SPECIFICATIONS	
Max. Delivery	1.25 L/MIN
Max. Tip Size - 1-Gun (Field)	0.021"
Max. Tip Size - 1-Gun (Traffic)	0.019"
Max. Operating Pressure	3000 PSI
Weight	29.5 kg.
Engine - Petrol	37.7cc 4-Stroke Engine



PowrLiner™ 855 include LX-40 spray gun with in-handle filter and premium TR¹ line striping tip.

Features:

Lightweight Design
Makes basic stenciling easy and fast.

Folding Handle
Makes storage and transportation easy.

Holds 5-Gallon Paint Pail
Pail not included.

2-Year Warranty
Against manufacturer defects.

Additional Features

DirectLink™ Pressure Control
Adjusts from 100–3000 PSI.

AutoOiler™

Reversible Gun Mount
Stripe off either front or rear tire.

Removable Gun
For full stenciling capability.

No Flat Tires
Specially formulated poly for a smooth ride and durability.

Adjustable Front Wheel
Straight lock or free wheel caster.


Available Upgrades:


Front Wheel Release Kit
293970

Release the front wheel from lock position to unlocked with the pull of a lever.

HYDRAULIC DRIVEN STRIPERS

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.






Speeflo® HydraDrive™

- Reliable, smooth, slow-stroking hydraulic drive greatly extends the operational life of the sprayer
- External-hydraulic fluid porting with NEW, upgraded fittings allows for quick troubleshooting and simplified maintenance
- SAE o-ring fitting and precision rod alignment ensure maximum pump life



Severe Service™ 900 Pump


- Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life up to 150% longer than competitive pumps
- Self-adjusting packings prevent over-tightening and help prevent premature wear
- Foot valve removes easily for faster cleaning and easy maintenance
- Reversible inlet and outlet seats have twice the lifespan of ordinary outlet seats and extra large ball valves ensure efficient pump operation and longer unit life
- Heavy-duty prime/spray valve ensures consistent, increased flow and faster pump priming



PowrCenter™

Designed with convenient and easy-to-use controls with features like tip holder, phone charging port and cup holder.

Phone, charger and cup not included.



DeadLock Handlebars

Easily adjust handlebars on three planes; in and out, up and down and pivot forward or back.

Available on PowrLiner 5500, 6955, and 8955 only.

HYDRAULIC

POWRLINER™ 3500 72V

2.8 L/MIN

Recommended for medium-sized projects on all parking lots and athletic fields.



DASHBOARD
Convenient features include tip holder and cup holder

LITHIUM-ION BATTERY
Removable and quickly rechargeable

FLATLINE PULSATION DAMPENER
Eliminates pressure fluctuations to avoid hour glassing

SWING BACK DESIGN
Increases operator leverage and reduces fatigue

HEAVY-DUTY FRAME
Resists harsh chemicals and corrosion

Powered by HONDA
eGX MOTOR
- Designed to closely meet the performance output of a conventional GX120 petrol engine.

LARGE 16" PNEUMATIC TIRES
Increases portability and makes traveling over rough surfaces easier

RX-80 GUN WITH LINE STRIPING TIP

NO-SPILL PUMP FILTER
Vertical design retains coating during removal

WEAR GUARD ELITE



HONDA eGX MOTOR

- Brushless DC motor is reliable and durable
- Extremely quiet performance lets you extend work hours
- Greatly reduces vibration compared to petrol-powered units for ultra smooth lines



LITHIUM-ION BATTERY PACK

- Removable battery means no plugging the sprayer into an outlet
- Swappable battery means no down time in the field (second battery sold separately)
- Less than one hour recharge time

Powered by HONDA
BATTERY POWER, PETROL PERFORMANCE



	PowrLiner 3500	PowrLiner 3500 72V
PART NO.	0537015A	2445730B
SPECIFICATIONS		
Max. Delivery	2.8 L/MIN	2.8 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.027"	0.027"
Max. Operating Pressure	3300 PSI	3300 PSI
Weight	87kg	91kg
Motor	Honda GX120 - 120 CC	eGX Motor 72V
Pump	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic

Features:

Removable 72V Battery
Swap between the petrol engine to an eGX on the same frame

PermaStroke™ Technology
Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

Sealed Hydraulic System
No electronics or clutches to burn out

Sureflo™ Pusher Valve
Makes priming easy

FlatLine Pulsation Dampener™
Eliminates pressure fluctuations and deadband in the system

Removable Gun
For full stenciling capability.

No-Spill Pump Filter
Holds coating in the housing when removing.

Large 16" Pneumatic Tires
For increased portability over rough surfaces

New Swing Back Design

Elite Lifetime Warranty
On the hydraulic fluid pump.




Includes RX-80 gun, 1/4" x 50' hose, 419 TR[1] line striping tip and 517 TR[1] tip.

HYDRAULIC

POWRLINER™ 5500

4.7 L/MIN

Recommended for medium-sized projects on all car parks and athletic fields.



HONDA eGX MOTOR

- Brushless DC motor is reliable and durable
- Extremely quiet performance lets you extend work hours
- Greatly reduces vibration compared to petrol-powered units for ultra smooth lines

WEAR GUARD ELITE

Powered by HONDA

BATTERY POWER, PETROL PERFORMANCE



Features:

PermaStroke™ Technology
Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

Sealed Hydraulic System
No electronics or clutches to burn out

Sureflo™ Pusher Valve
Makes priming easy

FlatLine Pulsation Dampener™
Eliminates pressure fluctuations and deadband in the system

Removable Gun
For full stenciling capability.

No-Spill Pump Filter
Holds coating in the housing when removing.

Large 16" Pneumatic Tires
For increased portability over rough surfaces

New Swing Back Design

Elite Lifetime Warranty
On the hydraulic fluid pump.

	PowrLiner 5500
PART NO.	2468737
SPECIFICATIONS	
Max. Delivery	4.7 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.035"
Max. Operating Pressure	3300 PSI
Weight	103kg
Motor	Honda GX120 - 120 CC
Pump	Clutchless Sealed Hydraulic



Includes RX-80 gun, 1/4" x 50' hose, 419 TR¹ line striping tip and 517 TR¹ tip.

HYDRAULIC

POWRLINER 6955/8955

4.7/7.95 L/MIN

Recommended for large scale, full-time duty on airports, roads, parking lots and athletic fields.



WEAR GUARD

PowrLiner 6955/8955

Larger projects require more power and output. PowrLiner 6955 and 8955 line stripers are the workhorse machines of the industry, designed for ease of use and simple operation on major projects that require maximum performance with minimum downtime and maintenance.

	PowrLiner 6955	PowrLiner 8955
PART NO.	0290053H	0290054H
SPECIFICATIONS		
Max. Delivery - Petrol	7.95 L/MIN	9.5 L/MIN
Max. Tip Size - 1-Gun	0.047"	0.054"
Max. Tip Size - 2-Guns	0.031"	0.038"
Max. Operating Pressure	3300 PSI	3300 PSI
Engine - Petrol	Honda® GX160 with Electric Start and Low Oil Alert	Honda® GX200 with Electric Start and Low Oil Alert

Features:

SmartArm™

Can be positioned to spray on left, right, front or rear of striper.

Precise Pressure Control

From 400 to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.

Heavy-Duty Frame

Epoxy-finished frame resists harsh solvents and corrosion.

Second Gun Kit

Complete with S-3 gun, hose and tip kit for wider or dual lines.

45 Litre Paint Hopper

Pneumatic Tires

Highway-rated bearings on wheels.

Convenient Hose Rack

Keeps hose conveniently stored on the rear of the striper.

Additional Features:

Electric Start

12v Auxiliary Charging Port

Low Oil Alert



All PowrLiner 55 series include S-3 Stainless Steel spray gun with premium TR¹ line striping tip.



LAZYLINER SERIES

Take a load off and increase productivity up to four times. An economical way to grow your business.



LazyLiner Elite

- 200-Watt lamp coil charging system
- Engine protection bumper bar
- Heavy-duty pneumatic tires (16" x 6.5")
- Multi-position seat (forward/back, side to side)
- Height adjustable foot pedals
- Compatible with PowrLiner™ 3500–8955
- Hitch Required (see hitch chart)

	ELITE	PRO
PART NO.	2488186	0290041H
SPECIFICATIONS		
Engine - Petrol	Honda® GX200 Motor	Honda® GX160 Motor
Start	Pull	Pull
Speed - Forward	0–19 KM/H	0–19 KM/H
Speed - Reverse	0–11 KM/H	0–11 KM/H

LazyLiner tray, hitches and bumpers are sold separately.

HARD WORKING LINE STRIPER ACCESSORIES

Stencil Kits

Molded of 1/8" (.15 cm) polyethylene, these stencils are very durable and lay flat on surfaces for clean and accurate marking.

STENCIL KIT 1	
INCLUDES	PART NO.
39" (99 cm) Handicap	290932

STENCIL KIT 2	
INCLUDES	PART NO.
39" (99 cm) Handicap	290933
12" (30 cm) No Parking	
12" (30 cm) Numbers 0–9	

STENCIL KIT 3	
INCLUDES	PART NO.
42" (105 cm) Straight and Curved Arrows	290934
39" (99 cm) Handicap	
12" (30 cm) Numbers 0–9	
4", 12" (10, 30 cm) No Parking	
4", 12" (10, 30 cm) Fire Lane	
4" (10 cm) Reserved	
4" (10 cm) Visitors	



Stencil Kit



WindGuard™ Spray Shield

WindGuard™ Spray Shield 290623

Spray shield protects spray pattern from wind, minimizing over-spray. Works well when applying diluted athletic field marking paints. Adjustable for easy "on the fly" line width changes – 4", 6" or 8" and is easily removed from sprayer.

- Attaches to any Titan PowrLiner and most competitive models
- Spring loaded shields promote forgiveness on uneven surfaces
- Lightweight – only 2.5 kg.

HandiBead™ Bead Dispenser 0290953A



Apply glass beads with consistency and accuracy. Eliminates hand tossing glass beads on stop bar or crosswalk applications.

- Adjustable diffuser can disperse material up to 15" wide

LineSite™ Laser Pointer 0290175A

Great for start/stops, curb striping, executing perfectly straight lines and training new employees. High intensity green laser is easy to see in daylight.

Second Gun Kit

Comes complete with mounting bracket, airless gun, 6' x ¼" hose and line striping tip. Mounts to 4950, 6950 and 8950 PowrLiner.

DESCRIPTION	PART NO.
S-3 Gun Kit	759-138
S-5 Gun Kit	759-038
PowrLiner 2850 Gun Kit	290310



LineSite™ Laser Pointer



Second Gun Kit

Glass Bead Dispensing Systems

Includes hopper, hose and dispenser.

DESCRIPTION	PART NO.
1-Gun Kit (4–6")	424-826
Add a Second Dispenser to your 1-Gun Kit Second Dispenser with Hose (4–6")	424-816

Compatible with: 4950, 4955, 6950, 6955, 8950, 8955, 4900XLT, 6900XLT and 8900XLT. LazyLiner™ and PowrLiner™ sold separately.

LINE STRIPING ACCESSORIES



SureTrak™ Floating Gun Kit



LazyLiner™ Tray

SureTrak™ Floating Gun Kit 759-120

Keeps the gun at the proper height from the surface for perfect lines over rough terrain.

- Works great on pavement, grass and turf
- Attaches to PowrLiner™ 4950, 4955, 5500, 6950, 6955, 8950 and 8955

LazyLiner Tray

Use this attachable tray system as an option for carrying around additional items.

- For use on the LazyLiner Pro and Elite

DESCRIPTION	PART NO.
LazyLiner Elite Tray	0290645Z

SmartArm™ Assembly 0290382

Built to make line adjustments and transportation quick and easy.

- Pivots down for spraying and up for transportation/storage
- Locks in at any angle for curb striping
- Adjust gun height (fan pattern) up/down with the turn of a lever
- Automatically centers spray arm for easy set-up



SmartArm™ Pivot System



SmartArm™ Lift System

- Graduated to return to your preferred spray position

Striper Add-On Accessories

RECOMMENDED GUNS	
DESCRIPTION	PART NO.
LX-40 Gun	550-540
RX-80 Gun	538015
S-3 Gun	550060
S-5 Gun	550070

UPGRADES	
DESCRIPTION	PART NO.
PowrLiner™ 850 Caster Release Kit	293970
45 Litre Hopper	555910
Polyethylene 5-Gallon Pail Cover	759-147
Turf Kit for PowrLiners 4955–8955	759-155

Hitches and Bumpers

DESCRIPTION	ELITE PART NO.
Hitch Kit 3500, 3500 72V, 4500, 5500	537395
Hitch Kit 495X, 695X, 895X	2430599
Pre-Drilled Axle 4900 XLT, 6900 XLT, 8900 XLT XLT units require axle with pre-drilled holes AND hitch kit (2430599 + 0290489A)	0290489A
Bumper / Engine Protection Bar	Included

The drivers are not shipped with a hitch; use chart to identify which hitch to order.
*Must order both the hitch and bracket for the PowrLiner 3500

Line Striping Tips 557XXX / 697-XXX



Titan's TR1 line striping tips are built to provide the performance to exceed contractor expectations and increase profit.

The Industry's Best Performing Fan Pattern

- Sprays razor sharp lines
- Consistent line width from the first litre to the last

Longest Lasting Striping Tip in the Market


- Uniform film build for the life of the tip
- Less wasted paint equals more profit

New Easy-to-Read Tip Sizes

- 421 = 4" stripe (6" from the surface) with a 0.021" orifice

FAN PATTERN WIDTH			ORIFICE SIZE (INCHES)												
	INCHES	MM	0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.029	0.031	0.035	0.039	0.043
	2	51	213	215	217	219									
	4	102	413	415	417	419	421	423	425	427	429	431	435	439	443
	6	152		615	617	619	621	623	625	627	629	631	635	639	643
	8–10	203–254					821	823	825	827	829	831	835	839	843

Maximum Working Pressure: 5000 PSI



SPECIFICATIONS

	 PowrLiner 855	 PowrLiner 3500 72V	 PowrLiner 3500	 PowrLiner 5500	 PowrLiner 6955	 PowrLiner 8955
Wagner Part Number - 1-Gun	2486324	2445730B	0537015A	----	----	----
Wagner Part Number - 2-Gun	----	----	----	2468797	0290053H	0290054H
Max Delivery - Petrol	1.25 L/MIN		2.8 L/MIN	4.7 L/MIN	7.95 L/MIN	9.5 L/MIN
Max Delivery - Electric	----	2.8 L/MIN	----	----	----	----
Max Tip Size, 1-Gun - Petrol	0.021" (0.019" Traffic)	0.027"	0.027"	0.036"	0.047"	0.054"
Max Tip Size, 2-Guns - Petrol	----	----	----	0.025"	0.031"	0.038"
Max. Operating Pressure (PSI)	3000	3300	3300	3300	3300	3300
Electric Motor	----	Honda eGX 72V	----	----	----	----
Max. Hose Length	15.2 m	91.4 m	91.4 m	91.4M	91.4 m	91.4 m
Max. Spraying Speed*	32.3 m per minute	121 m per minute	121 m per minute	121 m per minute	210 m per minute	229 m per minute
Power Source	37.7cc 4-Stroke Engine	Honda® eGX 72V Battery	Honda® GX120 with Low Oil Alert and Pull Start	Honda GX160 with Low Oil Alert	Honda GX160 with Electric Start and Low Oil Alert	Honda GX200 with Electric Start and Low Oil Alert
Pump Drive	Clutch Driven	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic	Hydraulic	Hydraulic	Hydraulic
Line Width Range	2–12" (5–30.5 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)
Cycle Rate	----	----	----	----	15 per Litre	11 per Litre
Electrical System	----	----	----	----	12-Watts	12-Watts
Paint Outlet - Filter Element	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh
Paint Outlet - Filter Area	19 cm^2	116 cm^2	116 cm^2	116 cm^2	116 cm^2	116 cm^2
Weight	29.5 kg	91 kg (w/ Battery)	87 kg	103kg	151.1 kg	153.8 kg
Dimensions (H x W x L) - Unit	97 x 74 x 107 cm	100.3 x 82.5 x 165 cm	100.3 x 82.5 x 165 cm	110 x 81.28 x 185cm	104 x 79 x 152 cm	104 x 79 x 152 cm
Dimensions (H x W x L) - Crated	66 x 66 x 116 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm
Gun Included	LX-40	RX-80	RX-80	RX-80	S-3	S-3
TR[1] Line Striping Tip Included	417 (4" Line by 0.017" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)
Airless Hose Included	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)
Repair Kit - Pump	T/759-365	T/0537903	T/0537903	T/0537903	T/144-050	T/144-050
Repair Kit - Gun	----	----	----	----	T/550-275	T/550-275
Warranty	2-Years	4-Years	4-Years	4-Years	4-Years	4-Years

TITAN®

WEAR GUARD® ELITE

INCLUDES AN **ELITE LIFETIME WARRANTY** ON THE HYDRAULIC FLUID PUMP

Four-Year Manufacturer's Defect* – We pledge that our sprayers are free from defects in materials and workmanship.

Lifetime PermaStroke Technology – If the fluid pumps fails for any reason, including wear, we will replace it at no cost.

Honda eGX System – Honda provides a 3 year warranty on their motors, batteries, and chargers.

*Manufacturer's Defect Warranty excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc. PowrLiner 855 features 2 year manufacturer's defect warranty.

DISTRIBUTED BY:

WAGNER

WAGNER Spraytech Australia

8-10 Dansu Court, Hallam, VIC, 3803
P 1800 924 637
E info.aumb@wagner-group.com
www.wagneraustralia.com.au

PAINTWORX (NZ)

70 Lady Ruby Drive, East Tamaki, Auckland
P 09 272 2840
E service@paintworx.co.nz

WAG1126-06