



TITAN[®]

FIELD & PAVEMENT



SPRAYING **REDEFINED**





WEAR GUARD WARRANTY

THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

4-Year Manufacturer's Defect

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

Lifetime DuraLife Brushless HE and PMDC Brushless Motor Warranty

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

Limited Lifetime DCX Motor Warranty

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

Petrol Engine Warranty

3-year Honda® and 2-years all others.

2-Year Turbine Warranty

Lifetime* Drive Train Warranty

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

Lifetime Warranty on PermaStroke™ Technology Fluid Pump

Get a lifetime warranty on the PermaStroke Technology fluid pump. If the fluid pump fails for any reason (including wear) for as long as you own the sprayer, we will replace the fluid pump at no cost.



TITAN®

FIELD AND PAVEMENT
MARKING EQUIPMENT

POWRLINER™ SERIES

The sprayers of choice for everyone from serious contractors to entry level contractors and property managers.

LAZYLINER SERIES

Take a load off and increase productivity up to four times. An economical way to grow your business.

STRIPING ACCESSORIES

Make your striper more effective with hard working accessories from Titan.

STRIPING TIPS

Stock up on the industry's longest lasting striping tip in the market. Spray razor sharp lines and increase profits along the way.

SPRAYER SPECIFICATIONS

Compare Titan's PowrLiner series and make sure you get the perfect striper for your needs whatever they may be.

OUR MISSION

When your business depends on the tools you use,
you need to be able to count on the people who make them.

Our relentless commitment to helping every professional painter
be their best leads to better work, improved ROI and growing business.

CLUTCH DRIVEN SERIES

Titan offers line strippers that utilize clutch-driven machines that are perfect for entry level projects.



Clutch-Driven Line Strippers

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.

Titan's clutch-driven PowrLiners are a perfect entry level stripper for smaller and medium-sized striping projects.

DURABLE FLUID SECTION

- ◆ Patented, one-piece modular pump housing design makes routine service quick and easy – lasts up to 30% longer than competitive line strippers
- ◆ One-piece, self-adjusting static packings with 5 lip wiper last up to 50% longer; lifetime cylinder warranty means you spray more and worry less
- ◆ Exclusive fluid section design requires no cylinder; fewer wear parts reduces maintenance cost
- ◆ Access and clean the ball valves without damaging packings or removing fluid section
- ◆ Stainless steel rotating ball valves keep debris from sticking to minimize downtime and maximize performance
- ◆ Reversible inlet and outlet seats last twice as long as standard seats

RELIABLE PETROL ENGINE

- ◆ Proven engine technology
- ◆ Quiet operation
- ◆ Easy starting



CLUTCH DRIVEN POWRLINER 850

1.25 L/MIN

Recommended for light, periodic-duty on small parking lots and athletic fields.

FOR WATER BASED PRODUCTS ONLY

Bucket not included.



♥ PowrLiner 850

PowrLiner 850

The PowrLiner 850 is designed for entry level contractors, sports turf managers and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf. It is easy to use, easy to transport and easy to store. The 850 only requires one operator to transport and each fits easily in most automobile trunks. Perfect for any organisation or municipal budget.

PowrLiner 850	
WAGNER PART NO.	0290005A
SPECIFICATIONS	
Max. Delivery	1.25 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.021"
Max. Tip Size - 1-Gun (Airless Painting)	0.017"
Max. Operating Pressure	3000 PSI
Weight	29.5 kg.
Engine - Petrol	37.7cc 4-Stroke Engine



♥ PowrLiner™ 850 include LX-40 spray gun with in-handle filter and premium TR¹ line striping tip.

Features:

Lightweight Design

Makes basic stenciling easy and fast.

Folding Handle

Makes storage and transportation easy.

Holds 5-Gallon Paint Pail

Pail not included.

2-Year Warranty

Against manufacturer defects.

Additional Features

DirectLink™ Pressure Control

Adjusts from 100–3000 PSI.

AutoOiler™

Reversible Gun Mount

Stripe off either front or rear tire.

Removable Gun

For full stenciling capability.

No Flat Tires

Specially formulated poly for a smooth ride and durability.

Adjustable Front Wheel

Straight lock or free wheel caster.

Available Upgrades:


Front Wheel Release Kit

0293970

Release the front wheel from lock position to unlocked with the pull of a lever.

HYDRAULIC DRIVEN STRIPERS

Titan offers multiple PowrLiners that utilize hydraulic pump technology for heavy-duty, long-term use on medium, large and giant scale striping projects.



Speeflo® HydraDrive™

- Reliable, smooth, slow-stroking hydraulic drive greatly extends the operational life of the sprayer
- External-hydraulic fluid porting with NEW, upgraded fittings allows for quick troubleshooting and simplified maintenance
- SAE o-ring fitting and precision rod alignment ensure maximum pump life



Severe Service™ 900 Pump


- Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life up to 150% longer than competitive pumps
- Self-adjusting packings prevent over-tightening and help prevent premature wear
- Foot valve removes easily for faster cleaning and easy maintenance
- Reversible inlet and outlet seats have twice the lifespan of ordinary outlet seats and extra large ball valves ensure efficient pump operation and longer unit life
- Heavy-duty prime/spray valve ensures consistent, increased flow and faster pump priming



PowrCenter™

Designed with convenient and easy-to-use controls with features like tip holder, phone charging port and cup holder.

Phone, charger and cup not included.



DeadLock Handlebars

Easily adjust handlebars on three planes; in and out, up and down and pivot forward or back.

Available on PowrLiner 4955, 6955, and 8955 only.

HYDRAULIC POWRLINER™ 3500 72V

2.8 L/MIN

Recommended for medium-sized projects on all parking lots and athletic fields.

Features:

Removable 72V Battery

Swap between the petrol engine to an eGX on the same frame

PermaStroke™ Technology

Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

Sealed Hydraulic System

No electronics or clutches to burn out

Sureflo™ Pusher Valve

Makes priming easy

FlatLine Pulsation Dampener™

Eliminates pressure fluctuations and deadband in the system

Removable Gun

For full stenciling capability.

No-Spill Pump Filter

Holds coating in the housing when removing.

Large 16" Pneumatic Tires

For increased portability over rough surfaces

New Swing Back Design

Elite Lifetime Warranty

On the hydraulic fluid pump.



Includes RX-80 gun, 1/4" x 50' hose, 419 TR1 line striping tip and 517 TR1 tip.



HONDA eGX MOTOR


- Brushless DC motor is reliable and durable
- Extremely quiet performance lets you extend work hours
- Greatly reduces vibration compared to petrol-powered units for ultra smooth lines




LITHIUM-ION BATTERY PACK

- Removable battery means no plugging the sprayer into an outlet
- Swappable battery means no down time in the field (second battery sold separately)
- Less than one hour recharge time

Powered by HONDA BATTERY POWER, PETROL PERFORMANCE



	PowrLiner 3500	PowrLiner 3500 72V
WAGNER PART NO.	0537015A	2445730B
SPECIFICATIONS		
Max. Delivery	2.8 L/MIN	2.8 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.027"	0.027"
Max. Operating Pressure	3300 PSI	3300 PSI
Weight	87kg	91kg
Motor	Honda GX120 - 120 CC	eGX Motor 72V
Pump	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic



HONDA eGX MOTOR

- Brushless DC motor is reliable and durable
- Extremely quiet performance lets you extend work hours
- Greatly reduces vibration compared to petrol-powered units for ultra smooth lines

Powered by
HONDA
BATTERY
POWER,
PETROL
PERFORMANCE



PowrLiner 5500	
WAGNER PART NO.	2468737
SPECIFICATIONS	
Max. Delivery	4.7 L/MIN
Max. Tip Size - 1-Gun (Striping)	0.035"
Max. Operating Pressure	3300 PSI
Weight	103kg
Motor	Honda GX120 - 120 CC
Pump	Clutchless Sealed Hydraulic

HYDRAULIC POWRLINER™ 5500

4.7 L/MIN

Recommended for medium-sized projects on all car parks and athletic fields.

Features:

PermaStroke™ Technology

Get a lifetime of durability with no piston or packings with two field serviceable wear parts.

Sealed Hydraulic System

No electronics or clutches to burn out

Sureflo™ Pusher Valve

Makes priming easy

FlatLine Pulsation Dampener™

Eliminates pressure fluctuations and deadband in the system

Removable Gun

For full stenciling capability.

No-Spill Pump Filter

Holds coating in the housing when removing.

Large 16" Pneumatic Tires

For increased portability over rough surfaces

New Swing Back Design

Elite Lifetime Warranty

On the hydraulic fluid pump.



Includes RX-80 gun, 1/4" x 50' hose, 419 TR¹ line striping tip and 517 TR¹ tip.

HYDRAULIC POWRLINER™ 4955

4.7 L/MIN

Recommended for full-time duty on parking lots and athletic fields.

Features:

SmartArm™

Can be positioned to spray on left, right, front or rear of striper.

Precise Pressure Control

From 400 to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.

Heavy-Duty Frame

Epoxy-finished frame resists harsh solvents and corrosion.

Second Gun Kit

Complete with S-3 gun, hose and tip kit for wider or dual lines.

45 Litre Paint Hopper

Pneumatic Tires

For shock absorption.

Convenient Hose Rack

Keeps hose conveniently stored on the rear of the striper.

Electric Convertibility




2.0 HP Electric Converto Kit

T/506-719


Easy, tool-free convertibility from Petrol-power to electric power for projects where petrol engines are not permitted.

For use only with PowrLiner 4950, 4955 and all XLT units.




PowrLiner 4955

Designed and built for contractors who are serious about completing medium to large scale striping projects quickly and profitably. PowrLiner 4955 is the first step in hydraulic strippers where power and long-term, heavy duty operation are the difference between a business that makes money and one that does not.



SmartArm™

Built to pivot and lift, making line adjustments and transportation quick and easy.



PowrLiner 6955/8955

Larger projects require more power and output. PowrLiner 6955 and 8955 line strippers are the workhorse machines of the industry, designed for ease of use and simple operation on major projects that require maximum performance with minimum downtime and maintenance.

	PowrLiner 4955	PowrLiner 6955	PowrLiner 8955
WAGNER PART NO.	0290052H	0290053H	0290054H
SPECIFICATIONS			
Max. Delivery - Petrol	4.7 L/MIN	7.95 L/MIN	9.5 L/MIN
Max. Tip Size - 1-Gun	0.034"	0.047"	0.054"
Max. Tip Size - 2-Guns	0.025"	0.031"	0.038"
Max. Operating Pressure	3300 PSI	3300 PSI	3300 PSI
Engine - Petrol	Honda® GX120 with Pull Start	Honda® GX160 with Electric Start and Low Oil Alert	Honda® GX200 with Electric Start and Low Oil Alert

HYDRAULIC POWRLINER 6955/8955

4.7/7.95 L/MIN

Recommended for large scale, full-time duty on airports, roads, parking lots and athletic fields.

Features:

SmartArm™

Can be positioned to spray on left, right, front or rear of striper.

Precise Pressure Control

From 400 to 3300 PSI, for spraying light-bodied coatings all the way up to low-VOC striping paints.

Heavy-Duty Frame

Epoxy-finished frame resists harsh solvents and corrosion.

Second Gun Kit

Complete with S-3 gun, hose and tip kit for wider or dual lines.

45 Litre Paint Hopper

Pneumatic Tires

Highway-rated bearings on wheels.

Convenient Hose Rack

Keeps hose conveniently stored on the rear of the striper.

Additional Features:

Electric Start

12v Auxiliary Charging Port

Low Oil Alert



All PowrLiner 55 series include S-3 Stainless Steel spray gun with premium TR1 line striping tip.



LAZYLINER SERIES

Take a load off and increase productivity up to four times. An economical way to grow your business.

T



LazyLiner Elite

- ◆ 200-Watt lamp coil charging system
- ◆ Engine protection bumper bar
- ◆ Heavy-duty pneumatic tires (16" x 6.5")
- ◆ Multi-position seat (forward/back, side to side)
- ◆ Height adjustable foot pedals
- ◆ Compatible with PowrLiner™ 3500–8955
- ◆ Hitch Required (see hitch chart on page 13)

ELITE	
WAGNER PART NO.	0290040ZC
SPECIFICATIONS	
Engine - Petrol	Honda® GX200 Motor
Start	Pull
Speed - Forward	0–19 KM/H
Speed - Reverse	0–11 KM/H

LazyLiner tray, hitches and bumpers are sold separately. See page 13 for details.

HARD WORKING LINE STRIPER ACCESSORIES

Stencil Kits

Molded of 1/8" (.15 cm) polyethylene, these stencils are very durable and lay flat on surfaces for clean and accurate marking.

STENCIL KIT 1		
	INCLUDES	PART NO.
	39" (99 cm) Handicap	T/0290932

STENCIL KIT 2		
	INCLUDES	PART NO.
	39" (99 cm) Handicap	T/0290933
	12" (30 cm) No Parking	
	12" (30 cm) Numbers 0-9	

STENCIL KIT 3		
	INCLUDES	PART NO.
	42" (105 cm) Straight and Curved Arrows	T/0290934
	39" (99 cm) Handicap	
	12" (30 cm) Numbers 0-9	
	4", 12" (10, 30 cm) No Parking	
	4", 12" (10, 30 cm) Fire Lane	
	4" (10 cm) Reserved	
	4" (10 cm) Visitors	



Stencil Kit



WindGuard™
Spray Shield

WindGuard™ Spray Shield T/0290623

Spray shield protects spray pattern from wind, minimizing over-spray. Works well when applying diluted athletic field marking paints. Adjustable for easy "on the fly" line width changes – 4", 6" or 8" and is easily removed from sprayer.

- Attaches to any Titan PowrLiner and most competitive models
- Spring loaded shields promote forgiveness on uneven surfaces
- Lightweight – only 2.5 kg.

HandiBead™ Bead Dispenser T/0290953A

Apply glass beads with consistency and accuracy. Eliminates hand tossing glass beads on stop bar or crosswalk applications.

- Adjustable diffuser can disperse material up to 15" wide



LineSite™ Laser Pointer T/0290175A

Great for start/stops, curb striping, executing perfectly straight lines and training new employees. High intensity green laser is easy to see in daylight.

Second Gun Kit

Comes complete with mounting bracket, airless gun, 6' x 1/4" hose and line striping tip. Mounts to 4950, 6950 and 8950 PowrLiner.

DESCRIPTION	PART NO.
S-3 Gun Kit	T/759-138
S-5 Gun Kit	T/759-038
PowrLiner 2850 Gun Kit	T/0290310



LineSite™ Laser Pointer



Second Gun Kit

LINE STRIPING ACCESSORIES

Glass Bead Dispensing Systems

Includes dispenser, hose and dispenser.

DESCRIPTION	PART NO.
1-Gun Kit (4–6")	T/424-826
2-Gun Kit (4–6")	T/424-836
Add a Second Dispenser to your 1-Gun Kit Second Dispenser with Hose (4–6")	T/424-816

Compatible with: 4950, 4955, 6950, 6955, 8950, 8955, 4900XLT, 6900XLT and 8900XLT.
LazyLiner™ and PowrLiner™ sold separately.



SureTrak™ Floating Gun Kit



LazyLiner™ Tray

SureTrak™ Floating Gun Kit T/759-120

Keeps the gun at the proper height from the surface for perfect lines over rough terrain.

- Works great on pavement, grass and turf
- Attaches to PowrLiner™ 4950, 4955, 5500, 6950, 6955, 8950 and 8955

LazyLiner Tray

Use this attachable tray system as an option for carrying around additional items.

- For use on the LazyLiner Pro and Elite

DESCRIPTION	PART NO.
LazyLiner Elite Tray	T/0290645Z



SmartArm™ Pivot System



SmartArm™ Lift System

SmartArm™ Assembly 0290382

Built to make line adjustments and transportation quick and easy.

- Pivots down for spraying and up for transportation/storage
- Locks in at any angle for curb striping
- Adjust gun height (fan pattern) up/down with the turn of a lever
- Automatically centers spray arm for easy set-up
- Graduated to return to your preferred spray position

Striper Add-On Accessories

RECOMMENDED GUNS	
DESCRIPTION	PART NO.
LX-40 Gun	T/550-540
RX-80 Gun	T/0538015
S-3 Gun	T/0550060
S-5 Gun	T/0550070

UPGRADES	
DESCRIPTION	PART NO.
PowrLiner™ 850 Caster Release Kit	T/0293970
45 Litre Hopper	T/0555910
Polyethylene 5-Gallon Pail Cover	T/759-147
Turf Kit for PowrLiners 4955–8955	T/759-155

Hitches and Bumpers

DESCRIPTION	ELITE
	PART NO.
Hitch Kit 3500, 3500 72V, 4500	T/0537395
Hitch Kit 495X, 695X, 895X	T/2430599
Pre-Drilled Axle 4900 XLT, 6900 XLT, 8900 XLT XLT units require axle with pre-drilled holes AND hitch kit (2430599 + 0290489A)	T/0290489A
Bumper / Engine Protection Bar	Included

The drivers are not shipped with a hitch; use chart to identify which hitch to order.

*Must order both the hitch and bracket for the PowrLiner 3500

ENGINEERED SPECIFICALLY FOR PERFECT LINES

Titan's TR¹ line striping tips are built to provide the performance to exceed contractor expectations and increase profit.

The Industry's Best Performing Fan Pattern

- Sprays razor sharp lines
- Consistent line width from the first gallon to the last

Longest Lasting Striping Tip in the Market

- Uniform film build for the life of the tip
- Less wasted paint equals more profit

New Easy-to-Read Tip Sizes


- 421 = 4" stripe (6" from the surface) with a 0.021" orifice










Line Striping Tips W/0557XXX / T/697-XXX

FAN PATTERN WIDTH			ORIFICE SIZE (INCHES)												
	INCHES	MM	0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.029	0.031	0.035	0.039	0.043
	2	51	213	215	217	219									
	4	102	413	415	417	419	421	423	425	427	429	431	435	439	443
	6	152		615	617	619	621	623	625	627	629	631	635	639	643
	8-10	203-254					821	823	825	827	829	831	835	839	843

Maximum Working Pressure: 5000 PSI



SPECIFICATIONS

							
	PowrLiner 850	PowrLiner 3500 72V	PowrLiner 3500	PowrLiner 5500	PowrLiner 4955	PowrLiner 6955	PowrLiner 8955
Wagner Part Number - 1-Gun	0290005	2445730B	0537015	----	----	----	----
Wagner Part Number - 2-Gun	----	----	----	2468797	0290052H	0290053H	0290054H
Max Delivery - Petrol	1.25 L/MIN		2.8 L/MIN	4.7 L/MIN	4.73 L/MIN	7.95 L/MIN	9.5 L/MIN
Max Delivery - Electric	----	2.8 L/MIN	----	----	----	----	----
Max Tip Size, 1-Gun - Petrol	0.021" (0.017" Airless)	0.027"	0.027"	0.036"	0.033"	0.047"	0.054"
Max Tip Size, 2-Guns - Petrol	----	----	----	0.025"	0.025"	0.031"	0.038"
Max. Operating Pressure (PSI)	3000	3300	3300	3300	3300	3300	3300
Electric Motor	----	Honda eGX 72V	----	----	----	----	----
Max. Hose Length	15.2 m	91.4 m	91.4 m	91.4M	91.4 m	91.4 m	91.4 m
Max. Spraying Speed*	32.3 m per minute	121 m per minute	121 m per minute	121 m per minute	155 m per minute	210 m per minute	229 m per minute
Power Source	37.7cc 4-Stroke Engine	Honda® eGX 72V Battery	Honda® GX120 with Low Oil Alert and Pull Start	Honda GX160 with Low Oil Alert	Honda GX120 with Low Oil Alert and Pull Start	Honda GX160 with Electric Start and Low Oil Alert	Honda GX200 with Electric Start and Low Oil Alert
Pump Drive	Clutch Driven	Clutchless Sealed Hydraulic	Clutchless Sealed Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Line Width Range	2–12" (5–30.5 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)	2–24" (5–60 cm)
Cycle Rate	----	----	----	----	23 per Litre	15 per Litre	11 per Litre
Electrical System	----	----	----	----	----	12-Watts	12-Watts
Paint Outlet - Filter Element	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh	60-Mesh
Paint Outlet - Filter Area	19 cm ²	116 cm ²	116 cm ²	116 cm ²	116 cm ²	116 cm ²	116 cm ²
Weight	29.5 kg	91 kg (w/ Battery)	87 kg	103kg	149 kg	151.1 kg	153.8 kg
Dimensions (H x W x L) - Unit	97 x 74 x 107 cm	100.3 x 82.5 x 165 cm	100.3 x 82.5 x 165 cm	110 x 81.28 x 185cm	104 x 79 x 152 cm	104 x 79 x 152 cm	104 x 79 x 152 cm
Dimensions (H x W x L) - Crated	66 x 66 x 116 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm	125 x 84 x 163 cm
Gun Included	LX-40	RX-80	RX-80	RX-80	S-3	S-3	S-3
TR ¹ Line Striping Tip Included	417 (4" Line by 0.017" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)	419 (4" Line by 0.019" Orifice)
Airless Hose Included	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)	1/4" x 50' (15 m)
Repair Kit - Pump	T/759-365	T/0537903	T/0537903	T/0537903	T/107-051	T/144-050	T/144-050
Repair Kit - Gun	----	----	----	----	T/550-275	T/550-275	T/550-275
Warranty	2-Years	4-Years	4-Years	4-Years	4-Years	4-Years	4-Years



INCLUDES AN ELITE
LIFETIME WARRANTY ON THE
HYDRAULIC FLUID PUMP

Four-Year Manufacturer's Defect* – We pledge that our sprayers are free from defects in materials and workmanship.

Lifetime PermaStroke Technology – If the fluid pumps fails for any reason, including wear, we will replace it at no cost.

Honda eGX System – Honda provides a 3 year warranty on their motors, batteries, and chargers.

*Manufacturer's Defect Warranty excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc. PowrLiner 850 features 2 year manufacturer's defect warranty.

DISTRIBUTED BY:



WAGNER Spraytech Australia

8-10 Dansu Court, Hallam, VIC, 3803

P 1800 924 637

F 03 9580 9120

E info.aumb@wagner-group.com

www.wagneraustralia.com.au

PAINTWORX (NZ)

70 Lady Ruby Drive, East Tamaki, Auckland

P 09 272 2840

F 0800FOR WAGNER

E service@paintworx.co.nz